



**Fig. 1a**




**Fig. 1b**


FIG. 1b is a schematic diagram of a web browser window 112.




**Fig. 1c**




**Fig. 1d**




***Prior Art  
Fig. 2a***



Prior Art  
Fig. 2b



**Prior Art**  
**Fig. 2c**



**Prior Art**  
**Fig. 2d**








Fig. 2e

FIG. 2f



**Fig. 2f**



**Fig. 2g**

From 204  
Receive an identifier wherein at  
least a portion of the identifier  
includes a domain name




Fig. 2h

From 40  
Domain name  
fictitious? - Yes






Fig. 2i

From 206  
Process network resource  
request having a domain name  
resolution request



*Fig. 2j*



**Fig. 3a**




Fig. 3b






Fig. 3c





**Fig. 3d**



**Fig. 3e**




Fig. 3f




Fig. 4a





Fig. 4b

160

Name	Date/Time	IP Address	Hits
name.game	199903220100	31.41.59.26	2237
top.stories	199904050330	27.18.28.18	1342
best.buys	199904201755	141.42.13.56	1846

Fig. 4c



**Fig. 5**




Fig. 6

**Fig. 7**






Fig. 8




Fig. 9





Fig. 10a

1040 →


Default	Zip Code	City	State
T	44114	cleveland	oh
T	44115	cleveland	oh
F	44116	cleveland	oh
T	44116	rockyriver	oh
F	44117	cleveland	oh
T	44117	euclid	oh
T	44118	cleveland	oh
F	44118	clevelandheights	oh
F	44118	eastcleveland	oh
F	44118	shakerheights	oh
F	44118	universityheights	oh

***Fig. 10b***

FIG. 10b



**Fig. 10c**



**Fig. 11**





Fig. 12

Row	Location Field	Generated URI
1	example.com www.example.com http://www.example.com	http://www.example.com:80/index.html
2	example.company	http://example.com http://company.example.com http://example.company.com http://example.company.tlda.com http://example.com/company/index.html http://example.com/example.company/ http://example.com/example/company/ http://example.com/pamy/index.html http://example.co
3	free.love.to	http://free.to http://love.free.to http://free.love.to http://free.to/love
4	800.555.1212  12345.67890  123.45.6789  4428.1234.3456.5678  3.1415.9265.3	http://www.1212.800.555.com http://2.1.2.1.5.5.5.0.0.8.1.e164.arpa  http://12345.67890.upc.arpa  http://6789.45.123.ssn.arpa  http://8.7.6.5.6.5.4.3.4.3.2.1.8.2.1.4.card.arpa  http://3.5.6.2.9.5.1.4.1.3.isbn.urn.arpa
5	http://example.44106 http://example.44106.us	http://example.cleveland.oh.us
6	foo@bar.company	mailto:foo@bar.com

*Fig. 13*





**Fig. 14a**

182

Name	TLD	Registrant	Address	Phone Number	E-mail	Password	Expiration	Etc.
name.game	.net	John Doe	123 Main St. NYC	212.555.TLDA	info@tlda.com	tlda555	200003221200	demo
top.stories	.to	Jane Smith	Cleveland, OH	216.555.NAME	555@tut.net	L342	200002062236	geog

1420 1424

Fig. 14b

Name	TLD
name.game	.net
top.stories	.to
best.buys	.com

152 1420 1424

Fig. 14c

Name	Method	Scheme	Web	Domain	TLD	Port	Path	Component
top.stories	3	http://	www	example	.to	:80	count/top.stories	search string
search.now	2	ftp://	www2			:21		stuff
name.game	4			name	.net			etc.


1420 1514

**Fig. 15a**

1510

Method Name	Method #	Rank	Example/Function	Form
Truncate	3	1	top.stories=top.st	SLD.TLD
Replace	1	2	top.stories=top.to	SLD.TLD
Path	4	3	top.stories=top.to/stories	SLD.TLD/TLDA
Rotate	5	4	top.stories=stories.top.to	TLDA.SLD.TLD
Append	9	5	top.stories=top.stories.to	SLD.TLDA.TLD
Delimit	2	6	top.stories=top.st/ories	SLD.TLD/A
Reverse	8	7	top.stories.today=today.stories.top.to	TLDA.SLD.3LD.TLD
Custom	16	8	top.com.today=today.top.com	TLDA.3LD.SLD
Query	6	9	top.stories=top.com/cgi-bin/index.cgi?tlda=stories	
PURI	7	10	top.stories=top.com/any/path/equals/stories	
Network	15	11	top.stories=somename.com	
Centraal	14	12	top.stories=anothername.com	
ZipNames	10	13	top.stories=yetanothername.com	
Netscape	13	14	top.stories=onemorename.com	
Microsoft	11	15	top.stories=microsoft.com/news	
AOL	12	16	top.stories=aol.com/topstories	

**Fig. 15b**



**Fig. 16**







Fig. 17




**Fig. 18**



**Fig. 19a**



**Fig. 19b**



**Fig. 20a**



TLDA.COM TOLL FREE

Dear John,

TLDA is pleased to introduce to you how to get started on the Internet right away with your very own TLDA name.

If you don't have a way to connect to the Internet then ask a friend who is on-line or go to your local library and come to our website WWW.TLDA.COM and learn how you can register and use your very own TLDA name.

You can give your new TLDA name to friends or print your TLDA name on your business card so people know how to reach you on the Internet!!

We have reserved a few names for you to try risk free.

John.Doe		
123.Coventry		2030
Smithtown.Pizza		—
Coventry.Wine		


Come to our web site and type or scan in any TLDA names listed above.

If you are not interested in the names we have set aside for you, then you can trade them in and pick another name to get started with the TLDA name service.


If you'd like-- call our toll free number for more information or to reserve your TLDA name right away!

Sincerely,  
Your local TLDA representative


*Fig. 20b*




**Fig. 20c**



**Fig. 21a**





**Fig. 21b**



**Fig. 21c**


From 1722  
Submit  
registration  
form



To 1910  
Pre-register  
at this time?

**Fig. 22**

FIG. 22



*Fig. 23a*

```

. IN SOA A.ROOT-SERVERS.NET. hostmaster.nsregistry.net. (
    2001041700 ;serial
    1800 ;refresh every 30 min
    900 ;retry every 15 min
    604800 ;expire after a week
    86400 ;minimum of a day
)
. 518400 IN NS A.ROOT-SERVERS.NET.
. 518400 IN NS H.ROOT-SERVERS.NET.
. 518400 IN NS C.ROOT-SERVERS.NET.
A.ROOT-SERVERS.NET. 518400 IN A 198.41.0.4
H.ROOT-SERVERS.NET. 518400 IN A 128.63.2.53
C.ROOT-SERVERS.NET. 518400 IN A 192.33.4.12
COM. 172800 IN NS A.GTLD-SERVERS.NET.
COM. 172800 IN NS G.GTLD-SERVERS.NET.
COM. 172800 IN NS C.GTLD-SERVERS.NET.
CA. 172800 IN NS CLOUSO.RISQ.QC.CA.
CA. 172800 IN NS NS2.UUNET.CA.
CA. 172800 IN NS RELAY.CDNNET.CA.

; Illustration of the Root Zone File


A.GTLD-SERVERS.NET. 172800 IN A 192.5.6.30
G.GTLD-SERVERS.NET. 172800 IN A 192.42.93.30
C.GTLD-SERVERS.NET. 172800 IN A 192.26.92.30
CLOUSO.RISQ.QC.CA. 172800 IN A 192.26.210.1
NS2.UUNET.CA. 172800 IN A 142.77.1.5
RELAY.CDNNET.CA. 172800 IN A 192.73.5.1

* 172800 IN NS TLDA.ARPA.
TLDA.ARPA. 172800 IN A 123.45.67.89

;TLDA.ARPA is used as a Primary Virtual Zero Level Domain and is in
;operative association with a network resource adapted to determine how
;to process the detected identifier having a top level domain alias

```

**Fig. 23b**



**Fig. 24**